

000001 00000000

| | |
|-----------|------|
| APPROVED | DATE |
| BY | DATE |
| DRAFTSMAN | |

Fig. 2A

INPUTTED ORIGINAL BIT STREAM A

| | | | | |
|--|----|----|----|-----|
| | A1 | A2 | A3 | ... |
|--|----|----|----|-----|

Fig. 2B

CONVERTED BIT STREAM B
OUTPUTTED BY TRANSCODER 1

| | | | | |
|--|----|----|----|-----|
| | B1 | B2 | B3 | ... |
|--|----|----|----|-----|

Fig. 2C

ORIGINAL BIT STREAM A
OUTPUTTED BY BUFFER 2

| | | | | |
|--|----|----|----|-----|
| | A1 | A2 | A3 | ... |
|--|----|----|----|-----|

000001 2426960

| | |
|-----------|------------|
| APPROVAL | DATE |
| BY | CLASSIFIED |
| DRAFTSMAN | |

Fig. 4A

INPUTTED ORIGINAL BIT STREAM A

| | | | | |
|--|----|----|----|-----|
| | A1 | A2 | A3 | ... |
|--|----|----|----|-----|

Fig. 4B

CONVERTED BIT STREAM B
OUTPUTTED BY TRANSCODER 11

tp

| | | | | |
|--|----|----|----|-----|
| | B1 | B2 | B3 | ... |
|--|----|----|----|-----|

Fig. 4C

BUFFER CONTROLLER 14



Fig. 4D

ORIGINAL BIT STREAM A
OUTPUTTED BY BUFFER 12

| | | | | |
|--|----|----|----|-----|
| | A1 | A2 | A3 | ... |
|--|----|----|----|-----|

000001 2220960

Fig. 5A
ORIGINAL OR CONVERTED BIT STREAM

Fig. 5B
SWITCH COMMAND

Fig. 5C
SWITCH CONTROLLER 15

